



MOUNT CARMEL COLLEGE, AUTONOMOUS

58, Palace Road, Abshot Layout, Vasanth Nagar,
Bengaluru, Karnataka 560052

INITIATIVE BY INSTITUTIONAL SOCIAL RESPONSIBILITY CELL(ISRC)

Email: isrc@mccbbl.edu.in

All Information Provided Under This Is Gathered from Various Sources. Kindly Check Its Authenticity. The College Is not Responsible.


ಇದರ ಅಡಿಯಲ್ಲಿ ಒದಗಿಸಲಾದ ಎಲ್ಲಾ ಮಾಹಿತಿಯನ್ನು ವಿವಿಧ ಮೂಲಗಳಿಂದ ಸಂಗ್ರಹಿಸಲಾಗಿದೆ. ದಯವಿಟ್ಟು ಅದರ ಸತ್ಯಾಸತ್ಯತೆಯನ್ನು ಪರಿಶೀಲಿಸಿ. ಇದಕ್ಕೆ ಕಾಲೇಜು ಜವಾಬ್ದಾರಿಯಲ್ಲ.

FIRST AID DURING COVID 19

❖ SYMPTOMS DURING COVID 19:

- 1. Checking vitals:** On a regular interval keep tracking the SPO2, Pulse and temperature.
 - Temperature persistent temperature of 102 degrees and above consult doctor immediately
 - Oxygen- (normal - 95, below 90 consult a doctor immediately)
 - Blood Pressure & Blood Sugar levels for diabetic patients.

2. Proning is an effective way to increase oxygen level



Videos for Proning

English: <https://www.youtube.com/watch?v=3kv-42xU8GA>

Kannada: <https://www.youtube.com/watch?v=KaRt-5HpWRo>

❖ GENERAL INSTRUCTIONS

1. General medication: Vitamin C and Multivitamin (A-Z multivitamin tablets)
 2. Yoga and Exercise: Lung exercise is a must,
 3. Steaming inhalation and saltwater gargling should be done every 2hrs. Betadine gargles in case of sore throat.
 4. Good hydration and avoid exertion. Avoid spicy & oil food and consume bland nutritious food.
 5. Have a relaxed mindset and avoid stress.
 6. Changes to CPR in Covid: Cardiopulmonary resuscitation otherwise known as CPR is part of a virtually every first aid course. If someone goes unconscious or stops breathing properly goes into what we call cardiac arrest than CPR is the vital part of the routine that is required for the person to survive.
 7. Checking for breathing
 - One way to check for breathing is if we put our hand on the person's abdomen, just underneath where the ribs finish what we will see is a big muscle called diaphragm moves up and down during breathing this area will rise and fall as we have rested our hands on their gently it should rise and fall with their breaths.
 - Pumping up and down on the person's chest this could air movement through the person's airway and mouth and nose. This could lead to a risk of those droplets coming out, so the face shield is recommended to use. Open up the clothing and look for the center of the chest and use the heel of your palm and put pressure on it and that sits in the center of the chest, and it is roughly on a line between the armpits where it crosses the breastbone. Put the other hand on top and use your fingers of both the hands so that it will not slip and then put more compression in to do the first aid.
 - **Video for changes to CPR :** <https://youtu.be/f4ZI1PAsmks>
 8. Separate yourself from other people in the home and limit contact with pets
 9. It is recommended that First Aiders wear a Double mask, with cloth and surgical masks, eye protection, and gloves.
 10. Follow good hygiene practices.
-